

LOXIA ORIX.



CHARACTER GENERICUS.

Rostrum conico-gibbum, frontis basi rotundatum
versus caput: Mandibula inferior margine
lateralis inflexa.

Nares in basi rostri minutæ rotundæ.

Lingua integra.

Lin. Syst. Nat. Gmel. p. 843.

CHARACTER SPECIFICUS, &c.

LOXIA GRISEA, rostro, fronte abdomineque
nigris, collo uropygioque fulvis.

Lin. Mant. 1771. p. 527.

EMBERIZA ORIX.

Lin. Syst. 1. p. 309.

CARDINALIS capitis Bonæ Spei.

Briff. 3. p. 114.

LOXIA ORIX.

Lin. Syst. Nat. Gmel. p. 863.

In bonæ spei promontorio generata hæc avis, fe-
dem sibi præcipue quærit in locis aquosis, nidum
ponens inter arundines. Ostendit tabula veram avis
magnitudinem.



L.N.

Carduelis ...

THE
GRENADIER GROSBEAK.



GENERIC CHARACTER.

Bill strong, and convex above and below, very thick at the base.

Nostrils small and round.

Tongue as if cut off at the end.

Pennant.

SPECIFIC CHARACTER, &c.

BROWN GROSBEAK, with the face and under part of the body black; the neck, back, and rump orange-scarlet.

GRENADIER GROSBEAK.

Lath. Syn. 2. p. 120.

Le CARDINAL du Cap de Bonne Esperance.

Briff. orn. 3. p. 114.

Buff. ois. 3. p. 496.

This bird is a native of the Cape of Good Hope, where it frequents watery places; building its nest among reeds: it is figured in its natural size.